


✕

## MINUTES

### **AUTO-ID TECHNICAL COMMITTEE MEETING**

Marriott Copley Place, Boston, MA

Thursday June 17, 2010



#### **Members Present:**

Sprague Ackley, Intermec

Sheri Hudson, NW Memorial Hospital/Mass. General Hospital

Harry Manolopoulos/MiSim

Napoleon Monroe, Henry Schein

In Mun, HCA

#### **Members Absent:**

Kirk Kikirekov, HIBCC AU

Donna Lee, Hand Held Products, Inc.

Greg Stivers, McKesson, Board Rep

#### **Guests Present:**

Patrick DeGrace, Hospira Worldwide, Inc.

Andy Longacre, Individual Expert

DuWayne Schlittenhard, St. Alexius Medical Center

Nat Sims, Mass. General Hospital

#### **HIBCC Staff:**

Bob Hankin

#### **Individual Expert:**

Luis Figarella, Individual Expert

#### **Call to Order**

This meeting was called to order by Individual Expert, Luis Figarella at 9:09 a.m.

#### **Introduction**

General introductions were made.

#### **Anti-Trust Policy and Conflict of Interest Statement**

The Anti-Trust Policy and Conflict of Interest (COI) Statement were reviewed. Committee members were instructed to sign a copy of the COI and return it to HIBCC staff.

#### **Approval of Agenda**

Motion was made by Sherri Hudson, seconded by Harry Manolopoulos and approved unanimously to accept the agenda as distributed.

#### **Approval of Minutes**

Motion was made by In Mun, seconded by Napoleon Monroe and approved unanimously to accept the minutes of Auto-ID Technical Committee Meeting held on December 3, 2009.

### **Approval of Current Committee Roster**

It was reported that Rob Milne and Suresh Choubey had contacted the HIBCC office to resign from the Committee. It was also noted that due to failure of attendance, Kevin Kite Powell should be removed. The revised roster was reviewed, and a motion made by Harry Manolopoulos, seconded by In Mun and approved unanimously to accept the changes.

### **Progress with New Syntax Standard – ANSI/HIBC 5.0**

Figarella reported that the PINS Form had been submitted to ANSI and an announcement appeared in the ANSI's newsletter "Standards Action on 2/05/10. The 30 day public comment period ended on 3/07/10. No comments were received.

Ackley explained the purpose of the 5.0 standard, and described the characteristics of indicators and data identifiers in 5.0. In short, the 5.0 spec. essentially lists HIBCC info in one place. The above becomes critical in lieu of recent ISO actions allowing the "direct drop" of HIBCC data into RFID applications.

Ackley explained the recent changes to ISO 15962. '962 calls for a complicated (but powerful) implementation of RFID. The ISO committee has approved an annex (T) to it (approved by the ISO BRM). When approved (as expected) within 9 to 12 months, the "new" '962 (and its Annex T) will allow for an ISO-15434 header " $\text{>R}_s\text{06G}_s$ " to act as the DFSID header in any RFID tag application. This will allow the implementation of existing HIBCC data structures into any ISO RFID application.

### **Supplier Labeling Standard (SLS) issues:**

#### **i) Modifications to Secondary Data, inclusion of Lot Field for Data String;**

Figarella reported Oehlmann request for inclusion of the Lot Field in the secondary data table.

Ackley, Hankin, Longacre looked at previous versions of the SLS (going to 1985) and found fields had changed in example table, but text allowed the inclusion of Lot in all "basic" mode (+YYJJJLOTLC) throughout.

Committee agreed to prepare an errata statement for submission to ANSI and correction of the present standard. Motion was made by Manolopoulos, seconded by Mun, approved unanimously.

#### **ii) Inclusion of Flags to allow serial number and lot number to reside in the same data string;**

Oehlmann requested that there be a special flag allowing for the inclusion of **both** a Lot/Batch **and** Serial number in the secondary message.

Ackley expressed concern about undue complexity of the present structure. Hankin commented that in particular, the HIBCC office received a lot of request of clarification of the present standard. Monroe commented that the applications he was familiar with that had Lot/Batch **and** Serial numbers made the complete number field a Serial number (one containing Lot/Batch and Serial).

Committee questioned the practicality of having a 1-D barcode solution that allowed 18 characters of Lot/Batch **in addition** to 18 characters of Serialization. It was felt that such an

application belonged either in a 2-D barcode, or in a solution using the Data Identifiers (either 1-D or 2-D as shown in Appendix G).

### **iii) Guideline Document**

Ackley, Monroe and Figarella will work on examples for Guideline Document.

#### **Update on ballot for ANSI/HIBC Provide Application Standard 1.3**

Figarella reported that BSR-8 Form was submitted to ANSI on 3/08/10, an announcement appeared in "Standard Actions" (ANSI newsletter) on 3/19/10. The 45 day comment deadline closed on 5/03/10.

A letter ballot to initiate the BSR-9 was sent to the Committee members; the voting period closes on 6/21/10.

#### **Positive ID for Patient Safety Standard – ANSI/HIBC 3.1, Part 1: Medication Delivery Standard Update**

Figarella reported BSR-8 Form was submitted to ANSI, and an announcement appeared in "Standard Actions" (ANSI newsletter) on 4/23/10. The 45 day comment deadline closed with no comments.

A letter ballot to initiate the BSR-9 was sent to the Committee members; the voting period closes on 7/26/10.

#### **New Business**

Sims described recent FDA requests for comment regarding pharmaceuticals that should be extended to IV Drugs and utilize bar codes. He also described efforts at MGH and the portions of the tour committee members would be taking on 6/18/10.

Monroe noted an upcoming FDA panel meeting on pharmacy labeling.

#### **Adjourn**

There being no further business, a motion was made by Mun, seconded by Manolopoulos and approved unanimously to adjourn at 2:27 p.m.